

SAFETY DATA SHEET

1147 Healdsburg Ave Healdsburg, CA 95448 PHONE: 800-262-8200

CHEMTREC: 800/262-8200

2. HAZARDS IDENTIFICATION

This product does not contain any categorized hazards.

PRIMARY ROUTE OF EXPOSURE

SKIN ABSORPTION: INHALATION: YES NO INGESTION: NO

EYE CONTACT: SKIN CONTACT: YES YES

CARCINOGEN STATUS

IARC: NO OSHA: NO ACGIH: NO

HMIS: 110E

CRONIC EFFECTS OF OVEREXPOSURE

None known.

SIGNS AND SYMPTOMS OF OVEREXPOSURE

May be irritating to the eyes, skin, and respiratory tract.

MEDICAL CONDITIONS AGGRAVATED

Persons with any pre-existing skin, eye or respiratory condition may be more susceptible to the effects of this product.

PRODUCT: Super Fast Acid Dye for Wool PAGE 1

3. <u>HAZARDOUS INGREDIENTS</u>

NO HAZARDOUS MATERIALS ARE CONTAINED IN THIS PRODUCT

The exact ingredient percentages and composition of the components have been withheld as a trade secret.

GENERAL INFORMATION: IMMEDIATELY REMOVE ALL CONTAMINATED CLOTHING

4. EMERGENCY AND FIRST AID PROCEDURES

EYE CONTACT	Wash immediately with large amounts of water for 15 minutes, lifting the upper and
	lower lids until no evidence of product remain. Get medical attention immediately. Do
	not wear contact lenses while handling.
SKIN CONTACT	Remove all contaminated clothing immediately. Wash immediately with soap and
	plenty of water. If a temporary skin reaction occurs, it should be treated as allergic
	contact dermatitis. Launder contaminated clothing before reuse.
INGESTION	Dilute with water. Get medical attention. Never give fluids or induce vomiting if
	patient is unconscious or has convulsions.

INHALATIONIf inhaled, remove to fresh air. If not breathing, give artificial respiration, preferably mouth to mouth. If breathing is difficult, give oxygen. Call a physician.

5. FIRE AND EXPLOSION DATA

FLASH POINTNot Applicable
EXTINGUISHING MEDIAC02, Dry Chemical, Foam, Water Fog
SPECIAL FIRE FIGHTING PROCEDURES/UNUSUAL FIRE OR EXPLOSION HAZARDS:

Firefighters should be equipped with protective clothing & self-contained breathing apparatus to protect against potentially toxic & irritating fumes. In case of fire or explosion, keep unnecessary people away. Isolate hazard area & any entry. Stay upwind, out of low areas, and ventilate closed spaces before entering.

ADDITIONAL INFORMATION......Avoid dusting conditions. May form explosive dust mixtures with air.

6. SPILL OR LEAK PROCEDURES

IN CASE MATERIAL IS RELEASED/SPILLED:

Avoid formation and deposition of dust. Do not empty into drains or waters. Do not touch or walk through the spilled material: stop leak if you can do it without risk. Take up with sand or other non-combustible absorbent material or suitable vacuum and place into labeled sealable containers. For further disposal measures see section 13.

7. SPECIAL PRECAUTIONS AND STORAGE DATA

SAFE HANDLING: In accord with good industrial practice. Handle with care and avoid personal contact.

PRODUCT: Super Fast Acid Dye for Wool PAGE 2

8. EMPLOYEE PROTECTION RECOMMENDATIONS

GENERAL PROTECTNE MEASURES:

Do not breathe dust. Avoid contact with eyes and skin. Immediately remove all contaminated clothing.

EYE PROTECTION Employees should wear protective eye-goggles with side protection shield.

SKIN PROTECTION Employees should avoid skin contact by wearing protective clothing. Long sleeve

shirts, pants, gloves e.g. of PVC or nitrile rubber, and boots are recommended. Additional protections such as impervious suits are recommended when the potential for dermal contact is significant. Employees should wash their hands and face before eating and drinking and shower thoroughly before leaving work. Keep away from

food and drink stuffs.

RESPIRATORY PROTECTIONInhalation of dust and aerosols must be absolutely prevented by the use

of a NIOSH approved dust respirator.

VENTILATION Use local ventilation.

OTHER Wear overalls, apron or other protective clothing.

9. PHYSICAL DATA

ODOR THRESHOLD.....NA

SOLUBILITY IN WATER40 g/l at 100 deg C

DENSITY...... 1.87 g/cm3

VISCOSITY.NA

pH6.0-7.0

MELTING POINT/FREEZING POINT.....NA

PARTITION COEFFICIENT: N-OCTANOL/WATER.....ND

BOILING POINT.....NA

VAPOR PRESSURE......NA

VAPOR DENSITY......NA

EVAPORATION RATE.....NA

FLAMMABILITY.....NA

FLASH POINT.....NA

INGINITION TEMP..... NA

DECOMPOSITION TEMPERATURE....ND

UEL.....NA

LEL.....NA

% VOLATILE: VALUE: ND UNIT: % COMMENT:

10. REACTIVITY DATA

THERMAL DECOMPOSITION: No thermal decomposition when stored and handled correctly.

HAZARDOUS REACTIONS: None expected

CHEMICAL STABILITY.....Stable

INCOMPATABLE MATERIALS: None

HAZARDOUS DECOMPOSITION PRODUCTS......C02, CO, SULFUR OXIDES, NITROGEN OXIDES

CONDITIONS TO AVOID......Avoid dusting conditions and sparks/flame.

HAZARDOUS POLYMERIZATION....Will not occur

PRODUCT: Super Fast Acid Dye for Wool PAGE 3

11. TOXICOLOGICAL DATA

ANIMAL TOXICITY ORAL - LD50 (INGESTION) > 10,200 mg/kg (rat)

ANKS SINCE 1969

SENSITIZATION......NOT EXPECTED

ECOLOGICAL DATA

BIODEGRADABILITY: 10-25%

RESPIRATORY INHIBITION TEST IC50: > 100 mg/1 (Activated Sludge)

COD ND **AOX POTENTIAL:** 12.4%

13. DISPOSAL CONSIDERATIONS

PRODUCT:...... If utilization or recycling of the product is not possible, it should be disposed of in accordance with existing federal, state and local environmental regulations, e.g. by incineration in a suitable plant. UNCLEANED PACKAGING: Soiled, empty containers are to be treated in the same way as the contents.

14. SHIPPING DATA

PROPER SHIPPING NAME: NON-HAZARDOUS INK MATERIAL

D.O.T. HAZARD CLASSIFICATION: NOT REGULATED

FRT. CLASS PACKAGE: 55

IATA: NON-REGULATED

IMDG: NON-REGULATED

US REGULATIONS:

TSCA: The components of this product are listed on the TSCA Inventory

SARA 313: This product is not subject to SARA Title III Section 313 reporting requirements under 40 CPR 372.

SARA312: Immediate (acute) health hazard Yes

> Delayed (chronic) health hazard No Fire hazard No Sudden Release of Pressure No Reactivity No

PRODUCT: Super Fast Acid Dye for Wool PAGE 4 OTHER REGULATIONS:

This product is not subject to the German Ordinance that bans certain azo dyes or the 19th Amendment of the Council Directive 76/769/EEC

16. OTHER INFORMATION

Rupert, Gibbon & Spider, Inc. warrants that this product conforms to the chemical description on the label and is reasonably fit for the specific purposes referred to in its directions for use, subject to the inherent risks referred to in the material safety data sheet for this product. Rupert, Gibbon & Spider, Inc. makes no other expressed or implied warranty of fitness or merchantability or any other expressed or implied warranty. In no case shall Rupert, Gibbon & Spider, Inc. be liable for consequential, special, or indirect damages resulting from the use or handling of this product.

SDS Created: November 4, 2009 SDS Revised: March 31, 2016

PRODUCT: Super Fast Acid Dye for Wool PAGE 5