

Angelus Shoe Polish Co.  
Santa Fe Springs, Ca. 90670

Product: Angelus No. 725 Neon Acrylic Leather Paint  
Date Prepared: 06/05/13

Section 1 Product Identification  
Product Name: Angelus 725 Neon Acrylic Leather Paint / Neutral and 20+ colors  
General or Generic ID: A proprietary resin emulsion product

Hazard Rating: Health 1 Scale: 0 Minimal 1 Slight 2 Moderate 3 Serious 4 Severe  
Fire 0  
Reactivity 0

Emergency Phone Number 562-941-4242 Emergency Phone for Transportation only: 1-800-535-5053 INFOTRAC  
352-323-3500 International Infotrac

Section 2 Composition/Information of Ingredients

Ingredient (s)	CAS Number	% ( by volume)
Blend of Acrylic Polymers and Copolymers		<10
Various Colorants when necessary		<9
Fluorescent Pigments/Dyed Benzoguanamine-Formaldehyde Resin	Cas 26160-89-4	<4

Section 3 Hazards Identification Potential Health Effects

Eye: Can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes.

Skin: May cause irritation of skin with prolonged use. No problem is expected with normal use.

Swallowing/Ingestion: May cause nausea. Vomiting may be induced at the discretion of a physician.

Inhalation: None, No adverse effect expected with normal use and adequate ventilation.

Symptoms of Exposure: None. No adverse effect expected with normal use..

Target Organ Effects: Not Determined

Developmental Info: Not Determined

Cancer Information: Based on the available information, this material cannot be classified with regard to carcinogenicity.

Primary Route of entry: Inhalation, Skin contact, Eye contact, Ingestion.

Other Health Effects: No Data

Section 4 First Aid Measures

Eyes: Flush eyes gently with water for at least 15 minutes .Seek medical attention if irritation persists.

Skin: Wash affected skin areas thoroughly with soap and water. Consult physician if irritation persists.

Swallowing/Ingestion: If swallowed give 2 glasses of water. Consult a physician. Never give anything by mouth to an unconscious person.

Inhalation: Move subject to fresh air. If symptoms persist consult a physician.

Page One Continued on next page

---

Section 5	Fire Fighting Measures
Flash Point:	Noncombustible
Explosive Limit:	Not Applicable
Autoignition Temp:	Not Applicable
Hazardous products from Combustion:	Not measured
Fire & Explosion Haz:	Material may splatter above 212F/100C. Polymer film can burn.
Extinguishing Media:	Use extinguishing media appropriate for surrounding fire.
Fire Fighting Instructions:	Wear a self-contained breathing apparatus with a full face piece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protection equipment.
NFPA Rating:	Health—1, Flammability---0, Reactivity--0

---

Section 6	Accidental Release Measures
Spill:	Absorb liquid on vermiculite, floor absorbent, or other absorbent material and place in an approved container. Follow all regulations concerning disposal.

---

Section 7	Handling and Storage
-----------	----------------------

Handling:	Keep product from freezing.
-----------	-----------------------------

---

Section 8	Exposure Controls / Personal Protection
-----------	---

Eye Protection:	Under normal conditions eye protection is not necessary. It is however good practice to always wear protective glasses when using any product.
-----------------	--

Skin Protection:	Under normal conditions protections is not necessary. It is good practice to always avoid contact with skin.
------------------	--

Respiratory Protection:	With normal ventilation respiratory protection is not necessary.
-------------------------	--

Exposure Guidelines:	OSHA VPEL	ACGIH TLV
Non Hazardous		

---

Section 9	Physical and Chemical Properties
-----------	----------------------------------

Boiling Point:	212F / 100C
----------------	-------------

Vapor Pressure	Not measured
----------------	--------------

Specific Vapor Density:	AIR=1 <1 water
-------------------------	----------------

Page 2	Continued on next page
--------	------------------------

---

 Section 9 continued Physical and Chemical Properties

Percent Volatiles: None

Volatile Organic Compounds ( VOC ) 7% by weight / .56 lbs. / gallon

Evaporation Rate: Slower than Ethyl Ether

Appearance: Clear /Milky liquid and various colors

State: Liquid

Physical Form: Homogeneous Solution

Color: No Data

Odor: minimal

pH N/A

---

 Section 10 Stability and Reactivity

Hazardous Polymerization: Product will not undergo hazardous polymerization.

Hazardous Decomposition: Thermal decomposition may yield acrylic monomers.

Chemical Stability: Stable

Incompatibility: There are no known materials which are incompatible with this product.

---

 Section 11 Toxicological Information  
 No Data

---

 Section 12 Ecological Information: No Data

---

 Section 13 Disposal Consideration

Waste Management: Dispose of in accordance with all applicable local, state and federal regulations.

---

 Section 14 Transport Information 49 CFR 172.101

Dot Description: Not Regulated

RQ (Reportable Qty) 49 CFR 172.101 Not applicable

Page 3 Continued on next page

---

 Section 15 Regulatory Information

US Federal Regulations TSCS ( Toxic Substances Control Act ) Status

Cercla RQ-40CFR 302.4 (a)

RQ ( lbs )

Cercla RQ-40CFR 302.4 (b)

Materials without a "listed" RQ may be reportable as an "unlisted hazardous substance. See CFR 302.5 (b)

Sara 302 Components- 40 CFR 355 Appendix A

NONE

Section 311/312 Hazard Class—40 CFR 370.2

Immediate ( )    Delayed ( )    Fire ( )    Reactive ( )    Sudden Release of Pressure ( )

Sara 313 Components—40 CFR 372.65 Section 313 Component(s)

None

International Regulations inventory status: Not Determined

State and Local Regulations CALIFORNIA PROPOSITION 65

None

New Jersey RTK Label Information:

None

Pennsylvania RTK label information

None

Section 16

Other Information

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is, current, applicable, and suitable to their circumstances. No representation or warranties, either expressed or implied of fitness for a particular purpose or of any other nature to the product or to the information herein is made hereunder. Angelus shall in no event be responsible for any damages of whatsoever nature directly or indirectly resulting from the publication, or use of, or reliance upon the information contained herein.

Last Page



Angelus Trading Co. FIBER ARTS & CLOTHING BLANKS SINCE 1969



# **Dharma Trading Co.**

**FIBER ART SUPPLIES & CLOTHING BLANKS SINCE 1969**

Angelus Shoe Polish Co.  
Santa Fe Springs, Ca. 90670

Product: Angelus No. 720 Acrylic Leather Paint  
Date Prepared: 06/05/13

Section 1 Product Identification  
Product Name: Angelus Acrylic Leather Paint / Neutral and 60+ colors  
General or Generic ID: A proprietary resin emulsion product

Hazard Rating: Health 1 Scale: 0 Minimal 1 Slight 2 Moderate 3 Serious 4 Severe  
Fire 0  
Reactivity 0

Emergency Phone Number 562-941-4242 Emergency Phone for Transportation only: 1-800-535-5053 INFOTRAC

Section 2 Composition/Information of Ingredients

Ingredient (s)	CAS Number	% ( by volume)
Blend of Acrylic Polymers and Copolymers		<10
Various Colorants when necessary		<9

Section 3 Hazards Identification Potential Health Effects

Eye: Can cause eye irritation. Symptoms include stinging, tearing, redness, and swelling of eyes.

Skin: May cause irritation of skin with prolonged use. No problem is expected with normal use.

Swallowing/Ingestion: May cause nausea. Vomiting may be induced at the discretion of a physician.

Inhalation: None, No adverse effect expected with normal use and adequate ventilation.

Symptoms of Exposure: None. No adverse effect expected with normal use..

Target Organ Effects: Not Determined

Developmental Info: Not Determined

Cancer Information: Based on the available information, this material cannot be classified with regard to carcinogenicity.

Primary Route of entry: Inhalation, Skin contact, Eye contact, Ingestion.

Other Health Effects: No Data

Section 4 First Aid Measures

Eyes: Flush eyes gently with water for at least 15 minutes .Seek medical attention if irritation persists.

Skin: Wash affected skin areas thoroughly with soap and water. Consult physician if irritation persists.

Swallowing/Ingestion: If swallowed give 2 glasses of water. Consult a physician. Never give anything by mouth to an unconscious person.

Inhalation: Move subject to fresh air. If symptoms persist consult a physician.

Page One Continued on next page

---

Section 5	Fire Fighting Measures
Flash Point:	Noncombustible
Explosive Limit:	Not Applicable
Autoignition Temp:	Not Applicable
Hazardous products from Combustion:	Not measured
Fire & Explosion Haz:	Material may splatter above 212F/100C. Polymer film can burn.
Extinguishing Media:	Use extinguishing media appropriate for surrounding fire.
Fire Fighting Instructions:	Wear a self-contained breathing apparatus with a full face piece operated in the positive pressure demand mode with appropriate turn-out gear and chemical resistant personal protection equipment.
NFPA Rating:	Health—1, Flammability---0, Reactivity--0

---

Section 6	Accidental Release Measures
Spill:	Absorb liquid on vermiculite, floor absorbent, or other absorbent material and place in an approved container. Follow all regulations concerning disposal.

---

Section 7	Handling and Storage
-----------	----------------------

Handling:	Keep product from freezing.
-----------	-----------------------------

---

Section 8	Exposure Controls / Personal Protection
-----------	---

Eye Protection:	Under normal conditions eye protection is not necessary. It is however good practice to always wear protective glasses when using any product.
-----------------	--

Skin Protection:	Under normal conditions protections is not necessary. It is good practice to always avoid contact with skin.
------------------	--

Respiratory Protection:	With normal ventilation respiratory protection is not necessary.
-------------------------	--

Exposure Guidelines:	OSHA VPEL	ACGIH TLV
Non Hazardous		

---

Section 9	Physical and Chemical Properties
-----------	----------------------------------

Boiling Point:	212F / 100C
----------------	-------------

Vapor Pressure	Not measured
----------------	--------------

Specific Vapor Density:	AIR=1 <1 water
-------------------------	----------------

Page 2	Continued on next page
--------	------------------------

---

 Section 9 continued Physical and Chemical Properties

Percent Volatiles: None

Volatile Organic Compounds ( VOC ) 7% by weight / .56 lbs. / gallon

Evaporation Rate: Slower than Ethyl Ether

Appearance: Clear /Milky liquid and various colors

State: Liquid

Physical Form: Homogeneous Solution

Color: No Data

Odor: minimal

pH N/A

---

 Section 10 Stability and Reactivity

Hazardous Polymerization: Product will not undergo hazardous polymerization.

Hazardous Decomposition: Thermal decomposition may yield acrylic monomers.

Chemical Stability: Stable

Incompatibility: There are no known materials which are incompatible with this product.

---

 Section 11 Toxicological Information  
 No Data

---

 Section 12 Ecological Information: No Data

---

 Section 13 Disposal Consideration

Waste Management: Dispose of in accordance with all applicable local, state and federal regulations.

---

 Section 14 Transport Information 49 CFR 172.101

Dot Description: Not Regulated

RQ (Reportable Qty) 49 CFR 172.101 Not applicable

Page 3 Continued on next page

---

 Section 15 Regulatory Information



US Federal Regulations TSCS ( Toxic Substances Control Act ) Status

Cercla RQ-40CFR 302.4 (a)

RQ ( lbs )

Cercla RQ-40CFR 302.4 (b)

Materials without a "listed" RQ may be reportable as an "unlisted hazardous substance. See CFR 302.5 (b)

Sara 302 Components- 40 CFR 355 Appendix A

NONE

Section 311/312 Hazard Class—40 CFR 370.2

Immediate ( )    Delayed ( )    Fire ( )    Reactive ( )    Sudden Release of Pressure ( )

Sara 313 Components—40 CFR 372.65 Section 313 Component(s)

None

International Regulations inventory status: Not Determined

State and Local Regulations CALIFORNIA PROPOSITION 65

None

New Jersey RTK Label Information:

None

Pennsylvania RTK label information

None

Section 16

Other Information

The information accumulated herein is believed to be accurate but is not warranted to be whether originating with the company or not. Recipients are advised to confirm in advance of need that the information is, current, applicable, and suitable to their circumstances. No representation or warranties, either expressed or implied of fitness for a particular purpose or of any other nature to the product or to the information herein is made hereunder. Angelus shall in no event be responsible for any damages of whatsoever nature directly or indirectly resulting from the publication, or use of, or reliance upon the information contained herein.

Last Page



Angelus Trading Co. FIBER ARTS & CLOTHING BLANKS SINCE 1969



# **Dharma Trading Co.**

FIBER ART SUPPLIES & CLOTHING BLANKS SINCE 1969