

SAFETY DATA SHEET

Section 1. Identification

Trade name	: Gloss Paint 701-720
Product code	: 13000701-JTGLOSS
Date of issue/Date of revision	: 2/24/2015.
Supplier	: Eclectic Products Inc. 1075 Arrowsmith Eugene, OR 97402 541-484-9621
Responsible name	: Regulatory Compliance
Emergency telephone number (with hours of operation)	: CALL INFOTRAC 800-535-5053 001-352-323-3500 24 hours per day, 7 days per week.
Relevant identified uses o	f the substance or mixture and uses advised against
Adhesive Paint - Water base	ed - Consumer use

Section 2. Hazards identification

OSHA/HCS status :	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.
Classification of the : substance or mixture	Not classified.
GHS label elements	
Signal word :	No signal word.
Hazard statements :	No known significant effects or critical hazards.
Precautionary statements	
General	Read label before use. Keep out of reach of children. If medical advice is needed, have product container or label at hand.
Prevention :	Not applicable.
Response :	Not applicable.
Storage :	Not applicable.
Disposal	Not applicable.
Hazards not otherwise : classified	None known.

Section 3. Composition/information on ingredients

Substance/mixture

: Mixture

Ingredient name	%	CAS number
	5-10% 1-5%	57-55-6 13463-67-7

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

Section 3. Composition/information on ingredients

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First aid measures

Description of necess	ary first aid measures
Eye contact	 Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
Inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur.
Skin contact	: Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.
Ingestion	: Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

Most important symptoms/	effects, acute and delayed
Potential acute health effe	<u>cts</u>
Eye contact	: No known significant effects or critical hazards.
Inhalation	: No known significant effects or critical hazards.
Skin contact	: No known significant effects or critical hazards.
Ingestion	: No known significant effects or critical hazards.
Over-exposure signs/sym	<u>otoms</u>
Eye contact	: No specific data.
Inhalation	: No specific data.
Skin contact	: No specific data.
Ingestion	: No specific data.
Indication of immediate me	dical attention and special treatment needed, if necessary
Notes to physician	: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.
Protection of first-aiders	: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Section 5. Fire-fighting measures

: Use an extinguishing agent suitable for the surrounding fire.
: None known.
: None known.
: Decomposition products may include the following materials: carbon dioxide carbon monoxide metal oxide/oxides

: 2/24/2015.

Section 5. Fire-fighting measures

Special protective actions for fire-fighters	: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters Remark	 Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. Non-flammable.

Section 6. Accidental release measures

Personal precautions, protec	tive equipment and emergency procedures
For non-emergency personnel	: No action shall be taken involving any personal risk or without suitable training. Do not touch or walk through spilled material.
For emergency responders	: If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
Environmental precautions	: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Methods and materials for co	ontainment and cleaning up
Small spill	: Dilute with water and mop up if water-soluble. Alternatively, or if water-insoluble, absorb with an inert dry material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.
Large spill	: Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.
Section 7 Handlin	g and storage

Section 7. Handling and storage

Precautions for safe handling Protective measures Advice on general occupational hygiene Conditions for safe storage, including any Keep container tightly closed and sealed until ready for use.

incompatibilities

Section 8. Exposure controls/personal protection

Control parameters

Occupational exposure limits

Ingredient name	Exposure limits
Propylene Glycol	AIHA WEEL (United States, 10/2011). Notes: 2004 Revised Document
	TWA: 10 mg/mÂ ³ 8 hours.
Titanium Dioxide	OSHA PEL (United States, 6/2010).
	TWA: 15 mg/m ³ 8 hours. Form: Total dust
	OSHA PEL 1989 (United States, 3/1989).
	TWA: 10 mg/m ³ 8 hours. Form: Total dust
	ACGIH TLV (United States, 3/2012). Notes: Substance identified by other sources as a
	suspected or confirmed human carcinogen. 1996 Adoption Substances for which the
	TLV is higher than the OSHA Permissible Exposure Limit (PEL) and/or the NIOSH
	Recommended Exposure Limit (REL). See CFR 58(124) :36338-33351, June 30, 1993, for
Date of issue/Date of revision	: 2/24/2015. 3/8

Section 8. Exposure controls/personal protection

	revised OSHA PEL. Refers to Appendix A Carcinogens. TWA: 10 mg/m ³ 8 hours.
Appropriate engineering controls	: Good general ventilation should be sufficient to control worker exposure to airborne contaminants.
Environmental exposure controls	: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.
Individual protection me	asures
Hygiene measures	: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period.
Eye/face protection	: If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.
Skin protection	
Hand protection	: Protective gloves should be worn under normal conditions of use.
Body protection	: Wear suitable protective clothing.
Other skin protection	: None identified.
Respiratory protection	: A respirator is not needed under normal and intended conditions of product use.

Section 9. Physical and chemical properties

Physical state: Liquid. [Paste.]Color: VariousOdor: Ammoniacal. [Slight]pH: Not available.Boiling point: >100°C (>212°F)Flash point: Not available.Flammability: Non-flammable.Evaporation rate: <1 (ether (anhydrous) = 1)	<u>Appearance</u>	0
Odor: Ammoniacal. [Slight]pH: Not available.Boiling point: >100°C (>212°F)Flash point: Not available.Flammability: Non-flammable.Evaporation rate: <1 (ether (anhydrous) = 1)	Physical state	: Liquid. [Paste.]
pH: Not available.Boiling point: >100°C (>212°F)Flash point: Not available.Flammability: Non-flammable.Evaporation rate: <1 (ether (anhydrous) = 1)	Color	: Various
Boiling point: >100°C (>212°F)Flash point: Not available.Flammability: Non-flammable.Evaporation rate: <1 (ether (anhydrous) = 1)Lower and upper explosive (flammable) limits: Not available.Vapor pressure: Not available.Vapor density: >1 [Air = 1]Specific gravity: 1.04 to 1.06Solubility: Easily soluble in the following materials: water.VOC (wt%): 4.31 - 7.06%	Odor	: Ammoniacal. [Slight]
Flash point: Not available.Flammability: Non-flammable.Evaporation rate: <1 (ether (anhydrous) = 1)	рН	: Not available.
Flammability: Non-flammable.Evaporation rate: <1 (ether (anhydrous) = 1)	Boiling point	: >100°C (>212°F)
Evaporation rate: <1 (ether (anhydrous) = 1)	Flash point	: Not available.
Lower and upper explosive (flammable) limits: Not available.Vapor pressure: Not available.Vapor density: >1 [Air = 1]Specific gravity: 1.04 to 1.06Solubility: Easily soluble in the following materials: water.VOC (wt%): 4.31 - 7.06%	Flammability	: Non-flammable.
(flammable) limitsVapor pressure: Not available.Vapor density: >1 [Air = 1]Specific gravity: 1.04 to 1.06Solubility: Easily soluble in the following materials: water.VOC (wt%): 4.31 - 7.06%	Evaporation rate	: <1 (ether (anhydrous) = 1)
Vapor pressure: Not available.Vapor density: >1 [Air = 1]Specific gravity: 1.04 to 1.06Solubility: Easily soluble in the following materials: water.VOC (wt%): 4.31 - 7.06%		: Not available.
Vapor density: >1 [Air = 1]Specific gravity: 1.04 to 1.06Solubility: Easily soluble in the following materials: water.VOC (wt%): 4.31 - 7.06%	(flammable) limits	
Specific gravity: 1.04 to 1.06Solubility: Easily soluble in the following materials: water.VOC (wt%): 4.31 - 7.06%	Vapor pressure	: Not available.
Solubility: Easily soluble in the following materials: water.VOC (wt%): 4.31 - 7.06%	Vapor density	: >1 [Air = 1]
VOC (wt%) : 4.31 - 7.06%	Specific gravity	1.04 to 1.06
	Solubility C	: Easily soluble in the following materials: water.
Viccosity + Not available	VOC (wt%)	: 4.31 - 7.06%
i Not available.	Viscosity	: Not available.

Section 10. Stability and reactivity

Reactivity	: No specific test data related to reactivity available for this product or its ingredients.
Chemical stability	: The product is stable.
Possibility of hazardous reactions	: Under normal conditions of storage and use, hazardous reactions will not occur.
Conditions to avoid	: No specific data.
Incompatible materials	: No specific data.
Hazardous decomposition products	: Under normal conditions of storage and use, hazardous decomposition products should not be produced.
Date of issue/Date of revision	: 2/24/2015. 4/8

Section 11. Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Propylene Glycol	LD50 Dermal	Rabbit	20800 mg/kg	-
	LD50 Oral	Rat	20 g/kg	-
Titanium Dioxide	LC50 Inhalation Dusts and mists	Rat	>6.8 mg/l	4 hours
	LD50 Dermal	Rabbit	>10000 mg/kg	-
	LD50 Oral	Rat	>10000 mg/kg	-

Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
Propylene Glycol	Eyes - Mild irritant	Rabbit	-	24 hours 500	- 0
	Even Milel inside at	Date		milligrams	K)
	Eyes - Mild irritant	Rabbit	-	100 milligrams	
	Skin - Moderate irritant	Child	-	96 hours 30	-
				Percent	
	Skin - Mild irritant	Human		continuous 168 hours	_
		Turnan		500	
				milligrams	
	Skin - Moderate irritant	Human	C. NO	72 hours 104 milligrams	-
				Intermittent	
	Skin - Mild irritant	Woman	-	96 hours 30	-
Titanium Dioxide	Skin - Mild irritant	Human		Percent 72 hours 300	
	Skill - Willu IIIlani		-	Micrograms	-
		6		Intermittent	
Sensitization				·	·
Not available.					
Mutagenicity	ARTSUR				
Not available.	5				
Carcinogenicity					
Not available.	A				

Sensitization

Mutagenicity

Carcinogenicity

The International Agency for Research on Cancer (IARC) Monograph No. 93 reports there is sufficient evidence in experimental animals exposed to titanium dioxide but inadequate evidence for carcinogenicity in humans. Human studies do not suggest an association between occupational exposure to titanium dioxide dust and an increased risk of cancer. The IARC summary concludes, "that no significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint".

Classification

Product/ingredient name	OSHA	IARC	NTP
Titanium Dioxide	-	2B	-

Reproductive toxicity

Not available.

Teratogenicity

Not available.

Specific target organ toxicity (single exposure) Not available.

Section 11. Toxicological information

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Information on the likely routes of exposure

Potential chronic health effects

nformation on the likely outes of exposure	: Routes of entry anticipated: Dermal.
Potential chronic health ef	ifects
Conclusion/Summary	: Not considered to be toxic to humans.
General	: No known significant effects or critical hazards.
Carcinogenicity	: No known significant effects or critical hazards.
Mutagenicity	: No known significant effects or critical hazards.
Teratogenicity	: No known significant effects or critical hazards.
Developmental effects	: No known significant effects or critical hazards.
Fertility effects	: No known significant effects or critical hazards.
lumerical measures of toxi Acute toxicity estimates Not available.	city
Section 12. Ecolo	gical information
oxicity	

Numerical measures of toxicity

Section 12. Ecological information

Toxicity

Daphnia - Daphnia magna Crustaceans - Ceriodaphnia dubia Fish - Pimephales promelas Algae - Pseudokirchneriella subcapitata - Exponential growth	48 hours 48 hours 96 hours 72 hours
dubia Fish - Pimephales promelas Algae - Pseudokirchneriella	96 hours
Algae - Pseudokirchneriella	
	72 hours
phase	
Crustaceans - Ceriodaphnia dubia - Neonate	48 hours
Daphnia - Daphnia magna - Juvenile (Fledgling, Hatchling, Weanling)	48 hours
Fish - Pimephales promelas	96 hours
Algae - Pseudokirchneriella subcapitata - Exponential growth	72 hours
F A s	ish - Pimephales promelas Igae - Pseudokirchneriella

Persistence and degradability

Not available.

Other adverse effects : No known significant effects or critical hazards.

Date of issue/Date of revision

Section 13. Disposal considerations

Disposal methods

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Section 14. Transport information

	DOT Classification	TDG Classification	IMDG	ΙΑΤΑ
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	52
Transport hazard class (es)	-	-	INC BLA	-
Packing group	-	-	- ~~	-
Environmental hazards	No.	No.	No.	No.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Section 15. Regulatory information

U.S. Federal regulations

United States inventory (TSCA 8b): All components are listed or exempted.

SARA 311/312

Classification

Not applicable.

California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause cancer.

The California listing of titanium dioxide as a carcinogen is qualified as "airborne, unbound particles of respirable size". Warning is not required for products which cannot become airborne and titanium dioxide remains bound in a product matrix such as paint, plastics and paper.

Ingredient name	<u>Cancer</u>	Reproductive
Titanium Dioxidę	Yes.	No.
WHMIS (Canada) : 0	Class D-2A: Material causing other toxic effects (Ver	ry toxic).
Canada inventory : /	Il components are listed or exempted.	

International regulations

Section 15. Regulatory information

: Australia inventory (AICS): Not determined.
China inventory (IECSC): Not determined.
Japan inventory: Not determined.
Korea inventory: Not determined.
Malaysia Inventory (EHS Register): Not determined.
New Zealand Inventory of Chemicals (NZIoC): Not determined.
Philippines inventory (PICCS): Not determined.
Taiwan inventory (CSNN): Not determined.
: Not determined.

Section 16. Other information





Key to abbreviations

, MAS SINCE : ATE = Acute Toxicity Estimate GHS = Globally Harmonized System of Classification and Labelling of Chemicals IATA = International Air Transport Association IBC = Intermediate Bulk Container IMDG = International Maritime Dangerous Goods UN = United Nations : Not available.

References

Indicates information that has changed from previously issued version.

Notice to reader

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.